I'm not a robot

1998 honda accord service manual

Move the selector switch to L (driver's side) or R (passenger's side). Main Menu Table of Contents Your Vehicle's Safety Features Help keep you from being thrown Seat Belts In addition, most states and all against the inside of the car and For your safety, and the safety of Canadian provinces require you to against other occupants. Main Menu Table of Contents Homelink Universal Transmitter 2. Page 305 Main Menu Table of Contents Customer Relations Information Honda dealership personnel are If you are dissatisfied with the When you call or write, please give trained professionals. Turn it clockwise to lock it in place. Find Honda Accord service manuals in PDF format for the years 1997 through to 2010 for free. Start your vehicle. Page 26 Main Menu Table of Contents Protecting Children To provide security during normal Installing a Child Seat 3. Letting it your vehicle's beauty. ShareAlike — If you remix, transform, or build upon the material, you must distribute your contributions under the same license as the original. Checking the Fluid Level..Uniform Tire Quality Grading..Operation.....Unleaded Gasoline.....Washing.....Waxing and Polishing....Upholstery Cleaning..... P195/70R1490S It is best to replace all four tires at the same time. 4.6 US qt (4.4 l, 3.9 Imp qt) Brake Fluid: Genuine Honda DOT 3 Brake Fluid Automatic Transmission Fluid: preferred, or a DOT 3 or DOT 4 Honda Premium Formula brake fluid as a temporary Automatic Transmission Fluid ®... Turn the ignition switch to START Motor Operates Very Slowly If you have a manual transmission, (III). Then press the button again until TAPE/CD BUTTON REPEAT INDICATOR you see RDM displayed. Turn on the A / C by pressing the MODE BUTTONS CONTROL DIAL button. Page 238 Main Menu Table of Contents Tires Inspection Maintenance INDICATOR LOCATION MARKS Every time you check inflation, you In addition to proper inflation, should also examine the tires for correct wheel alignment helps to damage, foreign objects, and wear. Page 291 Main Menu Table of Contents Identification Numbers The Engine Number is stamped into 6-Cylinder Models 4-Cylinder Models the engine block. Small children: Not recommended, due to the passenger's airbag hazard. Turn off all electrical accessories 5-speed Manual Transmission Altitude (Above 8,000 feet/ to reduce the drain on the battery. Page 158 MAX and M I N lines. If you find a tire is worn unevenly, have your dealer check the wheel alignment. Page 194 Main Menu Table of Contents Maintenance Schedule for Normal Conditions (listed by distance/time) Service at the indicated distance or time, whichever comes first. Page 126 Main Menu Table of Contents Audio System The SKIP and REPEAT functions TAPE DIRECTION use silent periods on the tape to find EJECT BUTTON CASSETTE SLOT INDICATOR the end of a song or passage. Secure the child in the child seat. Page 59 Main Menu Table of Contents Controls Near the Steering Wheel If you leave the lights on with the To flash the high beams, pull the Headlights ignition switch in ACCESSORY (I) turn signal lever back lightly, then or LOCK (0), you will hear a release it. They should us this information: decision made by the dealership's be able to answer all your questions. Loosen the four bolts and remove 4. Main Menu Table of Contents Seat Adjustments For security, this cover can be Trunk Pass-through Cover locked and unlocked only with the KNOB master key. Our resources are crucial for knowledge lovers everywhere—so if you find all these bits and bytes useful, please pitch in. The oil pressure indicator light should go out within Improper disposal of engine oil can be five seconds. Manual Transmission....Gas Station Procedures....Expectant Mothers, Use of Seat Power Steering.....Gauges Belts by.....Windshield Washer....Engine Coolant Temperature ..Exterior, Cleaning the.... Have your Honda dealer check the the floor, until the car is parked and belt as soon as possible. Check the indicator lights in the and adjustments every clay before (see page 82). Page 187 Main Menu Table of Contents Towing a Trailer If you have to stop while going uphill, Backing up with a trailer is difficult do not hold the vehicle in place by and takes practice. Main Menu Table of Contents Service Station Procedures Opening the Hood SUPPORT ROD LATCH HOOD RELEASE HANDLE 4-cylinder models 1. Page 175 If you need to use the Shift Lock Release, it means your vehicle is developing a problem. Remove the lens from the bulb by carefully prying on the right holder by pulling the lens while 1. Rear Window Defogger....controls are within easy reach. Page 266 Main Menu Table of Contents Changing a Flat Tire WHEEL NUTS JACK 6. Place a cloth on the edge of the 5. If you cannot get an indicator to The bubble should be centered with its "0" mark as described, an align, have your Honda dealer underneath the longest scribe adjustment can be made using a inspect the vehicle for body mark on the gauge. You can is especially important in areas help keep your vehicle from that use road salt in winter. For a printed owner's manual, click on authorized manuals or go to www.helminc.com. Main Menu Table of Contents 5-speed Manual Transmission Come to a full stop before you shift Recommended Shift Points into Reverse. Main Menu Table of Contents Protecting Children All Children Must Be Restrained Each year, many children are injured Children who are unrestrained or killed in vehicle crashes because or improperly restrained can be they are either unrestrained or not seriously injured or killed in a properly restrained. AUTOMATIC TRANSMISSION NUMBER ENGINE NUMBER The Transmission Number is on a label on top of the transmission. The Balance control adjusts the side- to-side strength, while the Fader control adjusts the fronl-to-back strength. wheel-lift equipment with the front Flat-bed Equipment —... Page 249 Main Menu Table of Contents Lights Replacing Rear Bulbs 4. Page 134 Main Menu Table of Contents Audio System AUTO SELECT — If you are traveling far from home and can no A. Page 167 Main Menu Table of Contents Starting the Engine 1. Lower the vehicle to the ground wipe any dirt off the mounting wheel nuts back on finger-tight, and remove the jack. When you select the A / C turns on automatically and the system selects Fresh Air mode. Page 112 Main Menu Table of Contents Climate Control System PASSENGER'S-SIDE VENT Comfort and Convenience Features... Press and hold the transmitter Training With a Rolling Code TRAINING BUTTON System button until the red light begins to For security purposes, newer garage flash slowly (approximately 20 door opening systems use a "rolling" seconds). All the essential Adjustment..... Main Menu Comfort and Convenience Features The heating and air conditioning* Heating and Cooling..... Main Menu Table of Contents Additional Information About Your SRS How Your Airbags Work SRS Components An indicator light on the Your Supplemental Restraint System instrument panel to alert you to a possible problem with the system (SRS) includes: (see page 42). Main Menu Table of Contents Sun Visor, Vanity Mirror Sun Visor Make sure you put the sun visor Vanity Mirror back in place when you are getting into or out of the vehicle. Page 145 Main Menu Table of Contents Audio System Operating the Cassette Player CD/TAPE CHG BUTTON FM BUTTON (Optional) The cassette system features Dolby PLAY AM BUTTON B* noise reduction, automatic BUTTON BUTTON sensing of chromium-dioxide (CrO tape, and autoreverse for continuous play. The master key fits all the locks on... ignition switch, Lockout Prevention LOCK The remaining doors unlock when BUTTON will not allow you to lock the driver's you push the button a second time. A spark or flame can cause the battery to explode with enough force to kill or seriously hurt you. IF the fuse Is blown, replace If with one of the same or lower rating. If you find our work useful, please pitch in. Page 129 Main Menu Table of Contents Audio System If the system is in Repeat mode, you must turn it off by pressing RPT AM/FM BUTTON RANDOM INDICATOR before you can select Random Play. During acrash, the facing child seat may prevent the Never hold a baby on your lap. These additional classifications for your Honda. These features may not work to your satisfaction if there is almost no gap RPT BUTTON BUTTON... Page 189 It will also should be performed by a Honda performing maintenance. It is also necessary for licensing and insuring your vehicle. Your dealer will install a Genuine Honda air conditioning system that meets Honda's high RECIRCULATION BUTTON AIR CONDITIONING BUTTON quality standards and is designed to exactly fit your vehicle. Test the lights to make sure the new bulb is working. Main Menu Table of Contents Protecting Adults Additional Safety Precautions Do not place hard or sharp objects Two people should never use the between yourself and an airbag. Have the cooling system flushed and... Main Menu Table of Contents Protecting Adults Reclining a seat-back so that the 4.Adjust the Head Restraints shoulder part of the belt no longer rests against an occupant's chest Improperly positioning head reduces the protective capability of restraints reduces their the belt. with a trailer in tow. chamois or soft towel. Push the disc in halfway, the drive will pull it in the rest of the way and begin to play. Main Menu Table of Contents Protecting Children U.S. Models If You Must Drive with Several Children To remind you of the passenger Your vehicle has three seating airbag hazards, and that children positions in the back seat where must be properly restrained in the children can be properly restrained. Push it pushing the rear switch in the On EX and EX V-6 models down to lower the seat. All other seat adjustments in this model are manual. EX, EX-V6 models the same crisscross pattern. 6-cylinder models use ATF (see page 224). Page 234 Have the air conditioning on 6-cylinder models). In the OFF position, the light On all models except DX Each door has a courtesy light. Transmission Type 4 DX, LX 4 DX, LX BAXA 4 speed Automatic Ohio 5 EX, LX ULEV 5 EX MAXA 4 speed Automatic Sayama 6 EX, LX ULEV 6 EX P2A8 5 speed Manual b. The left lever controls the turn signals, headlights, and high beams. Page 294 Main Menu Table of Contents Specifications 1 : DX 2 : LX, EX 3 : 4-cylinder models 4 : 6-cylinder models Technical Information... The defogger and antenna wires on Make any steering wheel adjustment the inside of the rear window can be... Page 281 Main Menu Table of Contents Closing the Moonroof If the electric motor will act close ROUND PLUG SOCKET the moonroof, do the following: 1. Body (Chassis) Codes: CF8 CG3 CG5 CG6 . Vehicle Grade Series a b US model Canada model 0 EX SULEV a. Main Menu Table of Contents Control Locations HEATING/COOLING MIRROR DIGITAL CLOCK CONTROL CONTROLS (P.96) (P.104) (P.94) DOOR LOCK AUDIO SYSTEM SWITCH (P.119) (P.70) POWER WINDOW SWITCHES (P.91) FUEL FILL DOOR/ TRUNK RELEASE HOOD RELEASE HANDLE HANDLE (P.156) (P.76. Turn on the parking lights to make sure the new bulb works. Improperly positioning the seat belts can cause serious injury or death in a crash. Although most insurers pay close attention to the parts used recognize the quality of original... Page 236 Main Menu Table of Contents Tires Inflation Use a gauge to measure the air If you check the pressure when the Keeping the tires properly inflated pressure at least once a month. Insert it all the way back in its tube. If your insurance company, tell them you vehicle needs repairs after a collision, want Genuine Honda parts used in the repair. Release the buttons. Page 128 Main Menu Table of Contents Audio System To operate the CD changer or player, You can use the SKIP switch to REPEAT — When you activate the the ignition must be in ACCESSORY select tracks within a disc. Page 157 Main Menu Table of Contents Service Station Procedures 4-cyUnder models 6-cylinder models 2. Page 151 Main Menu Table of Contents Security System On EX and EX-V6 models With the system set, you can still SECURITY SYSTEM LIGHT The security system helps to protect open the trunk with the master key your vehicle and valuables from theft. Main Menu Table of Contents Your Vehicle's Safety Features Pre-Drive Safety Checklist Head restraints are properly adjusted (see page 12). Page 232 Main Menu Table of Contents Wiper Blades 5. Clean up any dirt and oil around 3. Make sure you are counterclockwise. Drive slowly, pressing on the accelerator. The glove box, and the pockets in the front doors and seat-backs, are designed for small, lightweight items. The 4-cylinder EX model without leather interior has a power seat bottom height adjustment. Using System comes out the tailpipe. VEHICLE IDENTIFICATION NUMBER numbers located in various places. Devices intended to improve needs to use a booster seat. Page 183 Main Menu Table of Contents Towing a Trailer The best way to confirm that your Trailer Hitches total towing package is within these The trailer hitch must be the proper Improperly loading your vehicle specifications is to get it weighed. Page 248 Main Menu Table of Contents Lights Replacing a Parking Light Bulb 3. information about how to properly position the steering wheel. to purchase the Service Manual. Main Menu Table of Contents Keys and Locks ACCESSORY (I) — In this position, You will hear a reminder beeper if Door Locks you can operate the audio system you leave the key in the ignition LOCK TAB and the accessory power socket. Page 273 Connect the other the booster battery. Clutch Fluid..... Put on the spare tire. .... View them online, print them or download the original to keep on your computer. On all models except DX back whenever the seat-back is in its See Carbon Monoxide Hazard on upright position. Turn the heater temperature 4-cylinder models 3. Use a high-pressure spray to clean the underside of your vehicle. If the temperature gauge stays at reaches the middle of the tempera- temperature control dial to the red mark, turn off the engine. Table of Contents Audio System AM/FM/Cassette Stereo Audio System For DX, LX and LX-V6 models Your Honda's audio system provides clear reception on both AM and FM bands, while the preset buttons allow you to easily select your favorite stations. Even Using Child Seats with Tethers ride up front, be sure to: mature children sometimes need Your car has three attachment points to be reminded to fasten their seat on the rear shelf for securing a Carefully read the owner's manual,... Together, airbags and seat belts provide the best protection in a severe frontal collision. Install the new bulb in the socket. To make sure you and your passengers get the maximum protection from your vehicle's safety All doors are closed and locked features, check the following each (see page 10). Draining the coolant requires access to the underside of the vehicle. Adjusting the Power Mirrors SELECTOR SWITCH 2. With this switch off, the passengers' windows AUTO — To open the driver's cannot be raised or lowered. The indicator the front wheels away from the curb. 1. Page 143 If you see an error indication in the display while operating the CD player, find the cause in the chart to the right. Remove the bulb by turning it BULB Your vehicle has two bulbs on each approximately one-quarter turn side, four in total. Always use a premium-grade deter- gent oil. Dipstick Battery, Jump Starting....Compact Spare..... Table of Contents Driving In Foreign Countries If you are planning to take your Honda outside the U.S. or Canada, contact the tourist bureaus in the areas you will be traveling in to find out about the availability of unleaded gasoline with the proper octane rating. Make direction and play the other side. Page 178 Main Menu Table of Contents The Braking System Brake System Design Anti-lock Brakes You should never pump the The hydraulic system that operates brake pedal, this defeats the All V-6 models, and the EX model the brakes has two separate circuits. Page 120 Main Menu Table of Contents Audio System You can use any of four methods to SEEK — The SEEK function Operating the Radio find radio stations on the selected searches the band for a station with The ignition switch must be in band: TUNE, SEEK, SCAN or the a strong signal. However, continued use can affect shift quality. Main Menu Table of Contents Interior Care Seat Belts Dirt build-up in the loops of the seat NOTICE belt anchors can cause the belts to LOOP retract slowly. instrument panel. Page 200 Main Menu Table of Contents Owner Maintenance Checks Tires — Check the tire pressure You should check the following Engine oil level — Check every items at the specified intervals. Determine from the chart on pages and 289, or the diagram on the fuse box lid, which fuse or fuses control that component. This is shown on the are not a problem, as long as the API Service label by the words label also carries the SJ classification. reserves the right, however, to discontinue or change specifications or... We'd be deeply grateful if you'd join the one in a thousand users that support us financially. Honda 1998-2002 Accord: Service Manual | Brand: Honda | Category: Automobile | Size: 0.48 MB | Pages: 21 Honda Accord 1998-2002. Have the transmission drained and refilled with Honda UPPER MARK ATF as soon as it is convenient. Remove the bulb by pulling it straight out of its metal tabs. Page 91 Main Menu Table of Contents Seat Heaters The HI or LO indicator lights and Use the HI setting only to heat the remains lit until you turn it off. Main Menu Warranty and Customer Relations Customer Relations Information..... ON (II). accessories that allow you to Follow all instructions in this personalize your vehicle. Page 75 Main Menu Table of Contents Keys and Locks Replacing the Battery BATTERY When the remote transmitter's battery begins to get weak, it may take several pushes on the button to lock or unlock the doors, and the LED will not light. Main Menu Table of Contents Climate Control System Semi-automatic Operation You can manually select various TEMPERATURE AIR CONDITIONING BUTTON functions of the Climate Control CONTROL DIAL system when it is in FULL AUTO. Main Menu Table of Contents Controls Near the Steering Wheel Windshield Washers Rear Window Defogger Hazard Warning To clean the windshield, pull back on Push the red button to the left of the The rear window defogger will clear the wiper control lever. Use the extension and wheel 11. Page 54 Main Menu Table of Contents Indicator Lights Immobilizer System Washer Level Indicator Indicator This indicator comes on for a few Canadian models only seconds when you turn the ignition This light comes on when the switch ON (II). Page 123 Main Menu Table of Contents Audio System Adjusting the Sound BASS/FADER TREBLE/BALANCE Balance/Fader — These two CONTROL CONTROL controls adjust the strength of the sound coming from each speaker. Page 233 Main Menu Table of Contents Air Conditioning System Optional for DX model If the air conditioning does not get as AIR CONDITIONING Your vehicle's air conditioning is a cold as before, have your dealer CONDENSER sealed system. When the red light flashes rapidly, Canadian Owners: The remote control release both buttons. Instrument Panel.....Turn Signal.....Heating and Cooling..... Page 225 Main Menu Table of Contents Spark Plugs (4 Cylinder Models) Specifications: NOTICE NGK: ZFR5F-11 Tighten the spark plugs carefully. The engine must be running for the heater and air conditioning to generate hot and cold air. Page 52 Main Menu Table of Contents Indicator Lights Anti-lock Brake System Door and Brake Lamp Monitor Supplemental Restraint U.S. S R S System Indicator (ABS) Indicator A B S This indicator lights when you turn the ignition switch ON (II). Put the bulb holder back into its hole in the lens, and turn it clockwise until it locks. Keep the receipts for all work done on your vehicle. Page 144 If you see an error indication in the display while operating the CD changer, find the cause in the chart to the right. Page 132 Main Menu Table of Contents Audio System Operating the Radio The ignition switch must be in PWR/VOL KNOB TUNE KNOB ACCESSORY (I) or ON (II) to FM BUTTON AM BUTTON operate the audio system. Read these labels carefully. Page 111 Climate Control System Only on EX-V6 model DRIVER'S-SIDE VENT CENTER VENTS The automatic climate control system in your Honda picks the proper combination of air condi- tioning, heating, and ventilation to maintain the interior temperature you select. Page 28 Main Menu Table of Contents Protecting Children Infant Seat Installation The lap/shoulder belts in the back seats have a locking mechanism that must be activated to secure a child seat. same seat belt. Page 161 Main Menu Table of Contents Accessories and Modifications Modifications In addition, any modifications that Additional Safety Precaution Do not remove any original decrease ground clearance increase Do not attach or place objects on the the chance of undercarriage parts airbag covers. Page 142 Main Menu Table of Contents Audio System Protecting Compact Discs Handle a CD by its edges; never To clean a disc, use a clean soft cloth. comfortable driving environment in How to Use the System.... Wear protective clothing and a face shield, or have a skilled 4-cylinder models 6-cylinder models... These fuses are located in three fuse boxes. After confirming that the belt is 5. Page 245 7. Contents Owner's Identification Form Introduction .....A Few Words About Safety..... Canadian owners: Follow the schedule for Severe Conditions. Page 213 Main Menu Table of Contents Cooling System FILLER NECK RESERVE TANK RESERVE TANK CAP FILLER NECK 4-cylinder models Fill up to here HOLDER 6-cylinder models Fill up to here 6-cylinder models 5. We build and maintain all our own systems, but we don't charge for access, sell user information, or run ads. Page 150 Owner's Manual. Driving In Foreign Countries..your Honda, and the locations of the Tire Information.....Emissions Controls.....identification numbers. You cannot start a Honda with an If you find nothing wrong, you will automatic transmission by pushing Put the transmission in Neutral or need a qualified technician to find or pulling it. Standing in front of the vehicle, the parking brake. Page 140 Main Menu Table of Contents Audio System If you turn the system off while a CD You can use the SKIP buttons while REPEAT— To activate the Repeat is playing, either with the PWR/VOL a disc is playing to select passages feature, press and release the Repeat knob or by turning off the ignition, and change tracks. In low speed and high speed, the wipers run continuously. The following pages provide instructions on how to secure a forward-facing child seat with this type of seat belt. It also includes 5-speed Manual Transmission.. Main Menu Before Driving Before you begin driving your Honda, Break-in Period.....you should know what gasoline to Gasoline..... Page 122 Main Menu Table of Contents Audio System Preset — You can store the fre- quencies of your favorite radio AM/FM BUTTON stations in the six preset buttons. Honda provides a lifetime warranty the belt, and replace it if necessary. Specifications: NGK: PZFR5F-11 DENSO: PKJ16CR-L11 Spark Plug Gap: 0.04 in (1.1 mm) 5. Main Menu Table of Contents Maintenance Safety Important Safety Precautions Read the instructions before you begin, and make sure you have the Before you begin any maintenance, tools and skills required. Page 131 Main Menu Table of Contents Audio System AM/FM/CD Audio System For EX and EX-V6 models Your Honda's audio system provides clear reception on both AM and FM bands, while the preset buttons allow you to easily select your favorite stations. During normal It is most accurate when the vehicle driven since you last reset it. Put a new washer on the drain bolt, into an appropriate container. Page 219 They are: fluid, from a sealed container, as a temporary replacement. The interior fuse boxes are on each The under-hood fuse box is located side of the dashboard. Share — copy and redistribute the material in any medium or format for any purpose, even commercially. Do not connect this jumper cable to any other part of the engine. Any major mainte- check the system. cause serious or fatal injuries to crash injuries and deaths, Generally, Following are a few... If an improperly-coded key (or (2) this device must accept any contact your Honda dealer. dealer. Main Menu Table of Contents Mirrors 1. Page 250 Main Menu Table of Contents Lights Replacing Rear Bulbs (in Trunk 5. miles (U.S.) or kilometers (Canada) engine's coolant. Page 36 Main Menu Table of Contents Protecting Children A child may continue using a When Can a Larger Child Sit in Front Physical Size The National Highway Traffic Safety Physically, a child must be large booster seat until the tops of their Administration and Transport enough for the lap/shoulder belt to ears are even with the top of the... preserve its appearance: the paint, Paint Touch-up..... distribute wear more evenly, you... it is below the M I N line, see Adding Honda. method of pushing on the brake If you exceed these speeds, the pedal and pressing the release... Run the engine until it reaches the temperature in your area never normal operating temperature, goes below 20°F(—... The following pages provide instructions on how to secure a rear- facing child seat with this type of seat belt. See monthly. Page 133 Main Menu Table of Contents Audio System You can use any of four methods to To store a frequency: SCAN — The SCAN function find radio stations on the selected samples all the stations with strong band: TUNE, SEEK, SCAN or the 1. use, and how to check the levels of Service Station Procedures ..important fluids. Use during the first 600 miles (1,000 km). The main air flow comes from the floor vents. It is 1. Page 309 Main Menu Index Brakes Specifications.....Checking Anti-lock System (ABS).... Page 307 NHTSA, U.S. Department of order a recall and remedy campaign. Loosen the drain plug on the control dial to maximum heat. Do the items in A, B, C as required for each distance/time interval. After selecting a proper child seat, Make sure the child is properly driving maneuvers, as well as during and a good place to install the seat, a collision, we recommend that strapped in the child seat... If you Repeat feature by pressing the RPT (I) or ON (II) and the audio system push and release the SKIP switch,... In most cases, the when it is safe. Page 242 Main Menu Table of Contents Lights Check the operation of your vehicle's TURN SIGNAL/SIDE MARKER LIGHT HEADLIGHT exterior lights at least once a month. Page 240 Re- Tire: placement wheels are available at (DX) your Honda dealer. NOTICE The steering system can be damaged if the steering wheel is locked. Main Menu Table of Contents Your Vehicle's Safety Features Your vehicle is equipped with many features that work together to protect you and your passengers during a crash. Page 146 Main Menu Table of Contents Audio System The t ape direction indicator will light If you turn the system off while a Tape Search Functions to show you which side of the tape is playing, either with the PWR/ With a cassette playing, you can use cassette is playing. Page 311 Main Menu Index Ethanol in Gasoline ..... Page 48 Windshield Washers....Adjustment..... Page 66 Main Menu Table of Contents Steering Wheel Controls Tap the brake or clutch pedal Changing the Set Speed You can increase the set cruising lightly with your foot. The easiest place to find the VIN is on a plate fastened to the top of the dashboard. If it does not, turn off harmful to the environment. Page 228 Main Menu Table of Contents Battery Check the condition of your vehicle's TEST INDICATOR WINDOW TEST INDICATOR WINDOW battery monthly. DIPSTICK 6. Reinstall the socket into the light assembly. Start the engine and watch the oil NOTICE LOW OIL PRESSURE INDICATOR pressure indicator. Make sure the fuel tank is full. Page 1 1998 Accord Sedan Online Reference Owner's Manual Use these links (and links throughout this manual) to navigate through this reference. You also need to Filling the Fuel Tank.... Light, Burned-out..... Main Menu Table of Contents Homelink Universal Transmitter Erasing Codes 3. Page 209 Main Menu Table of Contents Cooling System Removing the radiator cap RADIATOR CAP while the engine is hot can cause the coolant to spray out, seriously scalding you. Factory Code Paint Code A Marysville, Ohio Factory in U.S.A. Code Color C Saitama Factory in Japan Sayama B 89P Deep Velvet Blue Pearl h. while driving (in any shift position), it indicates a possible problem in the transmission. You can do this with a bathroom scale. Automatic Transmission . Page 216 UPPER MARK continued use can affect shift LOWER MARK quality. Check the Loosen the bleeder bolt on top of level in the radiator, add coolant if the engine. Leaving children without Attention prevent children from opening the adult supervision is illegal in most Many parents say they prefer to put doors. everything loaded in it must not vehicle, all passengers and their You can use it to tow a trailer if you exceed 1,000 Ibs (450 kg). Page 199 Main Menu Table of Contents Required Maintenance Record (for Normal and Severe Schedules) Maintenance... Page 141 Main Menu Table of Contents Audio System Operating the CD Changer To select a different disc, press the When you switch back to CD mode, (Optional) appropriate preset button (1 — 6). Page 312 Main Menu Index Headlights Inside Mirror.....Indicator.....Turning on.....Inspection, Tire.....Parking..... Page 253 Main Menu Table of Contents Lights On all models except DX model On all models except DX model SPOTLIGHT DOOR LIGHT SUN VISOR Maintenance... Your vehicle has a door monitor light These instructions also apply to on the instrument panel to indicate children who have outgrown child when a specific door is not tightly... Page 117 Main Menu Table of Contents Climate Control System button directs the main air flow to the windshield for faster defrosting. This section gives you hints Waxing.....on how to clean your vehicle and Aluminum Wheels..... Page 192 Your authorized Honda dealer We recommend the use of Genuine According to state and federal knows your vehicle best and can Honda parts and fluids whenever you regulations, failure to perform provide competent, efficient service. When MODE BUTTON FAN CONTROL DIAL the indicator above this button is lit, air from the vehicle's interior is sent through the system again (Recircula- tion mode). Page 278 Main Menu Table of Contents Charging System Indicator Immediately turn off all electrical By eliminating as much of the accessories: radio, heater, A/C, rear electrical load as possible, you can defogger, cruise control, etc. The next time you turn connected can seriously damage your on the radio you will see "Code"... Page 33 Main Menu Table of Contents Protecting Children Additional Precautions for Small Children Never hold a small child on your lap. Mixing radial and bias-ply To help increase tire life and only Genuine Honda wheel weights for tires on your vehicle can reduce its balancing. Page 275 Main Menu Table of Contents If Your Engine Overheats The pointer of your vehicle's Your vehicle can overheat for several 1. Page 197 Main Menu Table of Contents Maintenance Schedule for Severe Conditions (listed by distance/time) # : See maintenance and emissions warranty info, last column, page 195. Adapt — remix, transform, and build upon the material for any purpose, even commercially. So while airbags save lives, they can cause serious injuries to Airbags do not replace seat belts. other device) is used, the engine's interference received, including starting circuit is disabled. 4-cylinder models 6 cylinder models Check the battery condition by Check the battery terminals for looking at the test indicator window... This is actually inflate at the same time. Even tires are hot (the vehicle has been provides the best combination of tires that are in good condition may driven several miles), you will see... Wait a The hydraulic supports will lift it few minutes after turning the engine up the rest of the way and hold it... Unsnap the four hold-down clamps 4. Push the release button and other injuries. purpose of the ABS. Can You Chip In? 1998 Accord Sedan automobile pdf manual download. Do not tamper with SRS components or wiring for any reason. Never add straight recommended for aluminum engines. The ceiling light, door light and vanity mirror light come apart the 4. Push the new bulb in until Lights it bottoms in the socket. Both are important in in all weather conditions. Store the jack in its holder. Page 125 Main Menu Table of Contents Audio System REPEAT — The Repeat function EJECT BUTTON CASSETTE SLOT TAPE DIRECTION continuously replays the current INDICATOR song or passage. Page 293 Main Menu Table of Contents Specifications pages * 1 : DX * 2 : LX, EX * 3 : 6-cylinder models page page CONTINUED Technical Information... Page 115 Main Menu Table of Contents Climate Control System Recirculation Button This button controls the source of the air going into the system. Turn off the engine. Page 176 Main Menu Table of Contents Parking Always use the parking brake when If the vehicle is facing uphill, turn Parking Tips you park your vehicle. Reserve tank capacity: 0.16 US gal (0.6 ,0.13 Imp gal) 2 : Excluding the oil remaining in the engine. To seats quickly. Slide the wiper blade assembly onto the wiper arm. Try not drive several miles (kilometers) to use other electrically-operated before the battery is too discharged controls such as the power windows. Page 182 Main Menu Table of Contents Towing a Trailer Your Honda is designed primarily to The total weight of the trailer and The combined weight of the carry passengers and their cargo. Page 195 Main Menu Table of Contents Maintenance Schedule (Severe Conditions) Follow the Severe Maintenance Schedule if you drive your vehicle MAINLY under one or more of the following condi- tions: Driving less than 5 miles (8 km) per trip or, in freezing temperatures, driving less than 10 miles (16 km) per trip. The trunk is intended for larger, heavier items. (see page 208). ture gauge, or lower, before check- maximum (climate control to ing the radiator. It you exceed these speeds, the engine also has a "lock-up"... Page 80 Main Menu Table of Contents Homelink Universal Transmitter transmitter flashes (approximately 6. Page 254 Main Menu Table of Contents Lights Replacing the Trunk Light Bulb TRUNK LIGHT 1. Remove the license light assembly 2. Wheels and Tires..... temperature gauge should stay in reasons, such as lack of coolant or a Put the transmission in Neutral or the midrange under most conditions. Ignoring the SRS indicator light or replace the airbags yourself. Loosen the four wheel nuts (4- right fender. bottom of the radiator. Safely pull to the side of the road. Any other transmitters you have will also need to be reprogrammed. Page 256 Main Menu Appearance Care Regular cleaning and polishing of Exterior Care.....your Honda helps to keep it "new" Washing.....looking. Honda-approved key blanks. Page 274 Main Menu Table of Contents Jump Starting BOOSTER BOOSTER BATTERY BATTERY 6-cylinder models 4-cylinder models 6-cylinder models 7. Examine the tread for you are unsure of how to perform page 157. The system also adjusts the fan speed and air flow levels. Page 188 If you have the skills and tools to per- Adding Engine Coolant..... Main Menu Table of Contents Carbon Monoxide Hazard Your vehicle's exhaust contains With the trunk lid open, air flow can carbon monoxide gas. Page 215 Main Menu Table of Contents Windshield Washers Check the level in the windshield LEVEL GAUGE washer reservoir at least monthly during normal usage. To activate it, press the SCAN button, then release it. Open the trunk. 0.41 — 0.49 in (10.5 — 12.5 mm) edges of each belt for cracks or (On vehicles with A/C) fraying. Page 108 Main Menu Table of Contents Heating and Cooling To Cool with A/C FAN CONTROL DIAL TEMPERATURE 1. Electrical ... Service Manual 1998 - 2002 Accord 2/4 Dr General Information Chassis and Paint Codes 1998 Model... Use the TUNE, SEEK, or SCAN function to find the desired frequencies, then store them in the selected preset buttons as described previously. Pull down the trunk light cover. Insert the dipstick all the way back Check the fluid level with the engine 3. Main Menu Table of Contents Protecting Children If you decide that a child can safely Closely supervise the child. Page 2 The information and specifications included ADDRESS in this publication were in affect at the time of approval for printing. Spark Plug Gap: Overtightening can cause, damage to 0.04 in (1.1 mm) the threads in the cylinder head. You 1. Page 198 Main Menu Table of Contents Required Maintenance Record (for Normal and Severe Schedules) You or the servcing dealer can record all completed maintenance here, whether you follow the schedule for normal conditions (page) or severe conditions (page). Never drive with this cover open, especially if the trunk lid is also open. Page 57 SELECT/RESET BUTTON maintenance. Turn the system on by pushing the PWR/ VOL knob. Serial Number B 92P Nighthawk Black Pearl 000001 US model G 87P Dark Emerald Pearl 800001 Canada model NH 578 Taffeta White NH 623M Satin Silver Metallic RP 31M Signet Silver Metallic San Marino R 94 Red YR 524M Naples Gold Metallic COLOR LABEL Example INT. Page 272 2. 5. Once your vehicle is running, 6. Selecting a Child Seat To provide proper protection, a child seat should meet three requirements: 1. DASH BOARD Canadian models U.S. models only... If you do You may hear a hissing sound as not properly tighten the cap, the Gasoline is highly flammable pressure inside the tank escapes. Apply the parking brake. No additional restrictions — You may not apply legal terms or technological measures that legally restrict others from doing anything the license permits. Coin Box..... Repeat this procedure for the other five spark plugs. Administration (NHTSA) in addition Transportation, Washington, However, NHTSA cannot become to notifying American Honda Motor involved in individual problems D.C. 20590. Main Menu Table of Contents Console Compartment, Coin Box Console Compartment Coin Box LEVER LEVER CONSOLE COMPARTMENT COIN BOX You can put small items in the tray To open the console compartment, The coin box is located under the air pull up on the lower lever and lift the located in the console compartment vent. COLOR 8 S0P Vehicle Identificati Manual download Repair manuals Accord - Repair manuals Can You Chip In?Dear Patron: Please don't scroll past this. Main Menu Table of Contents Protecting Children Additional Safety Precautions Do not leave children alone in your If a Child Requires Close Use childproof door locks to vehicle. Engine Coolant on page If it is near or below the lower mark, information on adding the proper coolant. The system will scan up the band for a station with a strong signal. Page 314 Main Menu Index Safely Features.....Shifting Recommended Shift Speeds ..Reminder Lights.....Airbags.....The Automatic Door Locks.....Transmission.....Remote Transmitter.....Remote Audio Controls....Head Restraints.....The 5-speed Manual Transmission.....Replacement Information Seat Belts.....Shift Lever Position Indicator..Air Cleaner Element....Seat &... CD SLOT SKIP BUTTONS With the system on, insert the disc into the CD slot. Page 299 Main Menu Table of Contents Oxygenated Fuels Some conventional gasolines are The following are the EPA-approved If you notice any undesirable being blended with alcohol or an percentages of oxygenates: operating symptoms, try another ether compound. blowing compressed air through it in the opposite direction to normal air A low power steering fluid level can flow. Page 15 Main Menu Table of Contents Protecting Adults spreads the forces of a crash over the strongest bones in your upper body. Main Menu Table of Contents Keys and Locks Ignition Switch LOCK (0) — You can insert or remove the key only in this position. Page 196 Main Menu Table of Contents Maintenance Schedule for Severe Conditions (listed by distance/time) Use this schedule if your vehicle is MAINLY driven in any of the following Severe Conditions, or normally driven in Canada; otherwise use the Normal Schedule. The sweep interval will change slightly with speed; getting shorter as you drive faster. 9. between you, your dealer, or other information about motor American Honda Motor Co., Inc. Pull the bulb straight out of its Replacing Bulbs in the Interior CEILING LIGHT socket. Octane Requirement....Evaporative Emissions Controls.. tighten it until it clicks. CONTINUED Maintenance... Page 24 However, Honda is confident that one or more child seat models can fit and be properly installed in all recommended seating positions in your vehicle. Remove the burned out bulb from Side Marker Light Bulbs the socket by pushing it in and turning counterclockwise until it HOLDING CLIP unlocks. Without touching the accelerator 6. Page 51 Main Menu Table of Contents Indicator Lights Seat Belt Reminder Light Low Oil Pressure Parking Brake and U.S. Indicator Brake System Indicator BRAKE This indicator lights when you turn The engine can be severely damaged the ignition switch ON (II). Main Menu Table of Contents Controls Near the Steering Wheel The two levers on the steering REAR WINDOW column contain controls for driving INSTRUMENT PANEL WINDSHIELD DEFOGGER BRIGHTNESS WIPERS/WASHERS features you use most often. Main Menu Table of Contents Seat Adjustments Driver's Seat Full Power Adjustments On all V-6 models, and the 4-cylinder EX model with leather interior See pages — for important safety information and warnings about how to properly position seats and seat-backs. Honda Accord 1998-2002 Body (Chassis) Codes: CF8 CG3 CG5 CG6 Includes J30A V6 engine Region: USDM (United States Domestic Market) Factory Service Manual Electrical Troubleshooting Manual To open this file use application Adobe Reader Repair manuals English Honda Accord VI CF3/4/5 CL1/2/3 1998 - 2002 129.7 MB 2 520 pages General Information Chassis and Paint Codes 2000 Model Vehicle Identification Number Engine Number 1HGCG554 Y A 000001 F23A 1 3000001 iifffiTi I r a b cdefgh a b a. Page 255 Disconnect the battery. If the displayed time is after the half hour, pressing R sets the clock forward to the beginning of the next hour. Honda will repair or A belt that has been worn during a replace any seat belt component that crash may not provide the same level fails to function properly during of protection in a subsequent crash. Main Menu Table of Contents Steering Wheel Controls Pressing the Cruise Control Master Remote Audio Controls Cancelling the Cruise Control You can cancel the cruise control in Switch turns the system completely AUDIO/CH any of these ways: off and erases the previous cruising BUTTON speed from memory. Page 289 The diagrams in this section give Identification Numbers....Oxygenated Fuels.....you the dimensions and capacities of Specifications..... Always keep the glove box closed while driving. Page 186 Main Menu Table of Contents Towing a Trailer Towing Safety The vehicle/trailer combination is This extra load is magnified when Your vehicle will not stop as quickly more affected by crosswinds and you are driving in hilly terrain. Air flow is divided between the vents in the dashboard and the floor vents. These include a strong steel framework that forms a safety

Information About Your SRS Since both airbags use the same After a crash, you may see what sensors, both airbags normally looks like smoke. replacing the bulb (hat is burned out. Page 303 The catalytic converter is referred to as a three-way catalyst, since it acts on HC, CO, and NOx. A replacement unit must be an original Honda part or its equivalent. Page 138 Main Menu Table of Contents Audio System Driving very near the transmitter of Radio signals, especially on the FM Radio reception can be affected by a station that is broadcasting on a band, are deflected by large objects atmospheric conditions such as frequency close to the frequency of such as buildings and hills. Turn off all the electrical acces- (see page 286). This can make small movements with the cause the automatic transmission to steering wheel, and have someone... To replace it: AIR CLEANER ELEMENT 1. Page 113 Main Menu Table of Contents Climate Control System Fully-automatic Operation To put the Automatic Climate TEMPERATURE FULL AUTO FAN CONTROL DIAL Control in fully-automatic mode, CONTROL DIAL DISPLAY press the AUTO button and set the fan control dial to AUTO, then set the desired temperature by turning the temperature control dial. This Sitting improperly or out of will reduce the risk of injuries to position can result in serious both the mother and her unborn injury or death in a crash. Push the new bulb straight into the socket until it bottoms. Main Menu Table of Contents Maintenance Schedule (Normal Conditions) Follow the Normal Maintenance Schedule if the severe driving conditions specified in the Severe Conditions Maintenance Schedule do not apply. Page 74 Main Menu Table of Contents Keys and Locks You cannot lock or unlock the doors To open the trunk, push the Trunk Panic Mode with the remote transmitter if any Release button for approximately Panic mode allows you to remotely door is not fully closed or the key is one second. Use this you are using the compact spare tire: LOCATION spare tire as a temporary replace- MARK ment only. Raise the trunk TRUNK FLOOR TOOL BOX stop in a safe place to change it. Unexpected, Taking Care Washer, Windshield of the..... Page 110 Main Menu Table of Contents Heating and Cooling To Turn Everything Off To remove exterior frost or ice from These settings direct all the air flow To shut off the system temporarily, the windshield and side windows to the defroster vents at the base of turn the fan speed and temperature after the vehicle has been sitting out the windshield and the side window... Remove the reserve tank from its 6-cylinder models 6-cylinder models 3. Drain the oil Honda dealer) is required to 5. Press and hold the desired button As required by the FCC: ® on the Homelink transmitter until To erase the codes stored in all three This device complies with Part 15 of the the training light on the motor/ buttons, press and hold the two FCC rules. Head Restraints..... Clutch..... Your vehicle comes with two kinds of keys: a master key and a valet key. Before Driving... If the displayed time is before the half hour, pressing R sets the clock back to the previous hour. Page 306 Replacement Battery Limited U.S. Owners Seat Belt Limited Warranty — a seat Warranty — provides prorated Your new Honda is covered by these belt that fails to function properly is warranties: covered for the useful life of the coverage for a replacement battery vehicle. Unless you have the tools and... you fill the vehicle with fuel. It If Your Engine Won't Start... Page 287 (automatic transmission), your vehicle must be There are three popular types of transported with the front wheels If your Honda cannot be transported professional towing equipment. Page 221 Cleaning (Severe Conditions) steering system flushed and refilled Clean the air cleaner element by with Honda PSF as soon as possible. Main Menu Table of Contents Power Windows On all models except U.S. DX Your vehicle's windows are electri- cally-powered. 219, Brake System Indicator.... Page 55 Main Menu Table of Contents Gauges Odometer TACHOMETER SPEEDOMETER FUEL GAUGE TEMPERATURE The odometer shows the total dis- GAUGE tance your vehicle has been driven. drawn into the engine and burned. Page 298 Main Menu Table of Contents Tire Information Warning: The temperature grade for Temperature this tire is established for a tire that The temperature grades are A (the highest), B, and C, representing the is properly inflated and not over- tire's resistance to the generation of loaded. Page 271 Main Menu Table of Contents If Your Engine Won't Start Nothing Happens or the Starter Check the transmission interlock. Main Menu Table of Contents Controls Near the Steering Wheel Make sure the rear window is clear Steering Wheel Adjustment and you have good visibility before See page for important safety starting to drive. by flat-bed, it should be towed by off the ground. Main Menu Table of Contents Mirrors, Parking Brake Parking Brake NOTICE HEATED MIRROR BUTTON Driving the vehicle with the parking brake applied can damage the rear brakes and axles. If belt could press deep into the child you are not wearing a seat belt in a driver or a front-seat passenger from... Connect the end to the positive (+) terminal other end to the grounding strap on your Honda's battery. Start the engine and set the 4. Page 270 Main Menu Table of Contents Changing a Flat Tire, If Your Engine Won't Start If Your Engine Won't Start 20. Page 137 Radio Reception Radio Frequencies You can use the instrument panel How well your Honda's radio Your Honda's radio can receive the brightness control knob to adjust the complete AM and FM bands. If it Canada comes on at any other time, it indicates a problem in the... occupant comfort, or reposition the shoulder part of a seat belt, severely Do not let a child wear a seat belt... Page 258 You Paint Touch-up Always wash and dry the whole should use a polish on your Honda if Your dealer has touch-up paint to vehicle before waxing it. Page 226 Main Menu Table of Contents Spark Plugs (6 Cylinder Models) The spark plugs in your vehicle Replacement should be replaced according to the time and distance recommendations COVER SPARK PLUG CAP in the maintenance schedule. Page 53 Main Menu Table of Contents Indicator Lights Turn Signal and "Daytime Running Cruise Control Indicator CRUISE D R L CONTROL Hazard Warning Lights" Indicator Indicators Canadian models only Only on cars equipped with Cruise The left or right turn signal light This indicator lights when you turn Control System blinks when you signal a lane change... And operating this including: vehicle safely is an important Safety Labels — on the vehicle. Replace the blades if you find these signs, or they leave streaks and unwiped areas when used. Page 29 Main Menu Table of Contents Protecting Children Infant Seat Installation Tips 4. Reinstall the socket into the light assembly by turning it clockwise until it locks. Page 201 Main Menu Table of Contents Fluid Locations 4-Cylinder Models BRAKE FLUID CLUTCH FLUID (5-speed Manual (Gray cap) Transmission only) (Gray cap) ENGINE OIL ENGINE, OIL DIPSTICK FILL CAP (Orange loop) WASHER FLUID AUTOMATIC TRANSMISSION (Blue cap) FLUID DIPSTICK (Yellow loop) COOLANT POWER STEERING RESERVOIR... CONTINUED Driving... Some procedures require the use of specially designed tools and dedicated equipment.... Automatic Transmission....Works..... It holds up to six discs, providing several hours of continuous entertainment. Page 84 Main Menu Table of Contents Seat Adjustments Driver's Seat Manual Height Driver's Seat Power Height Adjustment Adjustment On LX model On EX model The height of your driver's seat is The height of your driver's seat is adjustable. Page 246 Main Menu Table of Contents Lights Replacing a Headlight Bulb 3. shoulder belts in all five seating All seat belts have an emergency positions. This causing corrosion in your vehicle: are built into your Honda. If they do, they Carrying hard or sharp objects on could be very seriously injured in a your lap, or driving with a pipe or crash. If you cannot clear the error indication, take the vehicle to your Honda dealer. Your vehicle uses halogen headlight 4. or the remote transmitter without The horn sounds and a combination triggering the alarm. Page 76 Honda dealer. Page 3 This NOTICE One of the best ways to enhance the enjoyment of your new Honda is to information is intended to help you read this manual. sories: climate control, stereo system, lights, etc. LOWER MARK DIPSTICK 6. Contamination Wipe across the disc from the center inner and outer edges. Page 279 Main Menu Table of Contents Malfunction Indicator Lamp If you have recently refueled your NOTICE MALFUNCTION INDICATOR LAMP vehicle, the cause of this indicator coming on could be a loose or If you keep driving with the malfunc- missing fuel fill cap. Turn the front dial on the power adjustable. Main Menu Table of Contents Emergency Towing plugged into the accessory power socket are turned off so they do not run down the battery. When the BUTTON BUTTON system reaches the end of the song... Page 160 Accessories with proper vehicle operation or Your dealer has Genuine Honda performance. Page 203 Main Menu Table of Contents Engine Oil Adding Oil Recommended Oil Oil is a major contributor to your ENGINE OIL FILL CAP ENGINE OIL FILL CAP engine's performance and longevity. Main Menu Table of Contents Tire Information Warning: The temperature grade for Temperature this tire is established for a tire that The temperature grades are A (the highest), B, and C, representing the is properly inflated and not over- tire's resistance to the generation of loaded. Page 130 If you see an error indication in the display while operating the CD changer, find the cause in the chart to the right. You may use a 10W-30 oil if 1. If it flashes off the accelerator pedal. The Open the hood. Comfort and Convenience Features... Pre-Drive Safety Checklist....Pressure Indicator....50, 281 Pregnancy, Using Seat Belts..Speeds.....172, 176 Selecting Proper Viscosity Protecting Adults..... Page 239 (as shown on the tire's your vehicle's aluminum wheels. Turn the ignition switch ON (II). The Vehicle Identification Number (VIN) is the 17-digit number your Honda dealer uses to register your vehicle for warranty purposes. Ground-in dirt will make material frequently. A fuel-efficient oil is recommended CD. Each button will store one frequency on the AM band, and two on the FM band. can result in serious injury or This must be done by a Honda However, if the light comes on at any dealer or a knowledgeable body death if the airbags do not other time, you should have your shop. Accessories..... Locate the jacking point nearest 10. receives stations is dependent on illumination of the audio system (see... Page 148 Main Menu Table of Contents Audio System Caring for the Cassette Player Use 100-minute or shorter cassettes. Page 302 HC, CO and NOx produced. systems work together to control the remain low, you should use only new engine's combustion and minimize Genuine Honda replacement parts or Exhaust Gas Recirculation (EGR) the amount of HC, CO, and NOx that their equivalent for repairs. It will then go off if washer fluid level is low. You can also obtain Co., Inc. Do the items in A, B, C, D as required for each distance/time. If you should happen to lose the card, you must obtain the code number from your Honda dealer. Main Menu Table of Contents Interior Lights Courtesy Lights Ceiling Light Spotlights IGNITION SWITCH LIGHT DOOR ACTIVATED DOOR LIGHT The ceiling light has a three-position On all models except DX switch. When they are not in use, store Cassettes longer than that use cassettes in their cases to protect The cassette player picks up dirt and thinner tape that may break or jam them from dust and moisture. Body Type and Transmission Type 1 2 door Coupe/5 speed Manual Transmission Number 2 2 door Coupe/4 speed Automatic 5 4 door Sedan/5 speed Manual BAXA 7000001 6 4 door Sedan/4 speed Automatic I I d. If the system selects the same unit (in- A Compact Disc changer is available you select an empty slot in the dash or changer) that was playing... Wipe the dipstick with a clean 3. the rear center shoulder belt out of the trunk, pull the release loop under The seat-back can be released from the way by removing the belt from... Wipe the insides of The rear window defagger and the loops with a clean cloth antenna wires are bonded to the inside dampened in mild soap and warm of the glass. Push the appropriate edge of the Adjust the outside mirrors with the adjustment switch to move the adjustment switch on the driver's... To attach the tether to the child seat, follow the child seat maker's instructions. Fluid.....Turn Signal Lights..... If time you fill the fuel tank. You should check the color of the test indicator window, and for corrosion on the terminals. switch in the LOCK (0) or ACCESSORY (I) position and open ON (II) —... Main Menu Table of Contents Steering Wheel Controls Cruise Control Using the Cruise Control Except for DX model in the U.S. CRUISE CONTROL MASTER SWITCH Cruise control allows you to maintain Improper use of the cruise a set speed above 25 mph (40 km/h) control can lead to a crash. You should pull exhaust gas into your vehicle's Carbon monoxide gas is toxic. Page 156 Main Menu Table of Contents Service Station Procedures Oil Check 4-cylinder models DIPSTICK DIPSTICK 6-cylinder models Check the engine oil level every time 6-cylinder models 3. Page 313 Main Menu Index Mirrors..... 4. Page 39 Main Menu Table of Contents Protecting Children If a torque wrench was not used, see your Honda dealer as soon as possible to verify proper installation. Page 212 Main Menu Table of Contents Cooling System RESERVE TANK RESERVE TANK CAP DRAIN PLUG HOLDER 6-cylinder models 6-cylinder models DRAIN BOLT 4-cylinder models 4. Page 285 Main Menu Table of Contents Fuses UNDER-HOOD FUSE BOX CONTINUED Taking Care of the Unexpected... Compact Spare.....DOT Tire Quality Grading..Additional Safety Precautions..System Components....Inflation.....How Your Airbags Work.... press and hold the center button You can still open and close the To close the moonroof, moonroof for up to ten minutes after press and hold the top of the switch you turn off the ignition. EXT. Audio System systems in your Honda provide a What Each Control Does..(EX and EX-V6) ..... You operate the CD changer with the same controls used for the radio and cassette player. A sunlight sensor is located in the top of the dashboard and a temperature sensor is next to the steering column. A new CD may be rough on the touch either surface. Push and pull the child seat locked, grab the shoulder part of forward and from side to side to For proper protection, an infant must the belt near the buckle and pull verify that it is secure enough to ride in a reclined, or semi-reclined... Page 205 Honda. 2 : See Air Conditioning Filter on page for information under special conditions. Page 118 Main Menu Table of Contents Climate Control System Sunlight Sensor/Temperature Sensor TEMPERATURE SENSOR SUNLIGHT SENSOR The climate control system has two sensors. It is wrench as shown to raise the tire. Any object attached to equipment or modify your vehicle in striking a curb, speed bump, or other or placed on the covers marked "SRS,"... Engine Type JHM HONDA MOTOR CO., LTD. Clean up any dirt and oil around 4. Page 259 Main Menu Table of Contents Interior Care Carpeting Fabric Leather Vacuum the carpeting frequently to Vacuum dirt and dust out of the On EX and EX-V6 models remove dirt. To operate the wipers in mist mode, On all models except DX push the control lever down. Page 180 Main Menu Table of Contents The Braking System, Driving in Bad Weather If anything goes wrong, the ABS Driving in Bad Weather Driving Technique — Always drive indicator on the instrument panel slower than you would in dry comes on (see page 51). Stopping in traffic or on the shoulder of a busy road is dangerous. Main Menu Table of Contents Heating and Cooling How to Use the System MODE BUTTONS TEMPERATURE This section covers how to set up the FAN CONTROL DIAL CONTROL DIAL system controls for ventilation, heating, cooling, dehumidifying, and defrosting. Leave extra buffeting. Page 277 Main Menu Table of Contents Low Oil Pressure Indicator 4. Line, Body and Engine Type F23A5 2.3.e SOHC Sequential Multiport CF8 ACCORD/F23A5 Fuel injected engine CG3 ACCORD COUPE/F23A1, F23A4 b. Page 247 Main Menu Table of Contents Lights Replacing Front Turn Signal and 5. 3. Page 136 Main Menu Table of Contents Audio System Adjusting the Sound TREBLE/BALANCE Balance/Fader — These two BASS/FADER CONTROL CONTROL controls adjust the strength of the sound coming from each speaker. Page 154 Main Menu Table of Contents Service Station Procedures 5. If the engine still does not start, pedal, turn the ignition key to the press the accelerator pedal all the 2. You should the finish does not have its original match your vehicle's color. 1 : See Timing Belt on page to determine need for replacement. Please contact your Honda heaviest items on the bottom and as far forward as possible. Page 301 164. Leave the ignition switch in Accessory (I), and make sure the steering wheel turns freely before you begin towing. The brakes on the rear when going down a long hill builds The front disc brakes on all vehicles... Main Menu Table of Contents Heating and Cooling Mode Buttons Use the MODE buttons to select the vents the air flows from. Main Menu A Few Words About Safety Your safety, and the safety of others, You will find this important safety information in a variety of forms, is very important. responsibility. Turn SPACER WING BOLT the jack's end bracket to lock it in Diagnosing why your engine won't CONE place. Main Menu Table of Contents Protecting Children General Guidelines for Using Child Seats The following pages give general guidelines for selecting and installing child seats for infants and small children. Page 184 Main Menu Table of Contents Towing a Trailer Mirrors Connecting the Trailer Always use a safety chain when Many states and provinces have laws Most trailers that have a gross towing a trailer. on seat belts. Have the transmission drained and refilled with Honda ATF as soon as it is convenient. Before mounting the spare tire, 13. 3 : 6-cylinder models Technical Information... Page 308 Main Menu Index Additional Information About Anti-theft Steering Column Lock .. The beverage holder lid you want to hold a larger cup. Replace the battery as soon as possible. Page 208 50 percent water. Warranty and Customer Relations... Attribution — You must give appropriate credit , provide a link to the license, and indicate if changes were made . Reinstall the cover on the front cylinder bank. Page 32 Main Menu Table of Contents Protecting Children Child Seat Installation The lap/shoulder belts in the back and front passenger seating positions have a locking mechanism that must be activated to secure a child seat. Make sure it locks in place. Maximum Allowable Checking Engine..... It is not necessary to your driving habits are the two most You can improve fuel economy by "warm-up"... SEL INDICATOR longer receive the stations you preset, you can use the Auto Select feature to find stations in the local area. size and construction for your vehicle and the trailer you intend to and trailer can seriously affect... Main Menu Table of Contents Exterior Care When you have washed and rinsed Washing Rinse the vehicle thoroughly with the whole exterior, dry it with a Frequent washing helps preserve cool water to remove loose dirt. Main Menu Driver and Passenger Safety If a Child Requires Close This section gives you important Airbags.....Attention.....information about how to protect Seats & Seat-Backs.....Additional Safety Precautions..yourself and your passengers. The lever will return to the center position as soon as you release it. page CONTINUED Maintenance... Page 315 Main Menu Index SRS Indicator.....42, 51 SRS, Additional Information... Pull the support rod out of its clip 2. Brake..... If that is not possible (LX, EX) Page 241 If you mount snow tires on your devices can also be used. If the light does not go out within ten seconds, Running the engine with low oil turn off the engine. To lock the cover, insert the key and turn it clockwise. Main Menu Table of Contents Important Safety Precautions You'll find many safety Be Aware of Airbag Hazards Control Your Speed recommendations throughout this While airbags save lives, they can Excessive speed is a major factor in section, and throughout this manual. Main Menu Table of Contents Homelink Universal Transmitter Training the Transmitter On EX-V6 model only contact the manufacturer of the ® The Homelink Universal Transmit- equipment. Make sure all seat belts are properly positioned before driving. Page 252 Main Menu Table of Contents Lights 3. Connect the safety requiring special outside mirrors weight of 1,000 Ibs (450 kg) do not chain securely at both ends. Page 174 Main Menu Table of Contents Automatic Transmission Shift Lock Release Maximum Allowable Speeds 6-cylinder models This allows you to move the shift The speeds in this table are the lever out of Park if the normal maximums for the given positions. 154) Instruments and Controls... MANUAL TRANSMISSION NUMBER... Page 276 Main Menu Table of Contents If Your Engine Overheats 10. Page 223 Main Menu Table of Contents Air Cleaner Element (6 Cylinder Models) Replacement BOLTS The air cleaner element is inside the air cleaner housing on the driver's side of the engine compartment. Main Menu Table of Contents Seat Adjustments All V-6 models, and the 4-cylinder EX Front Seat Adjustments model with leather interior have a power adjustable driver's seat. Page 116 Main Menu Table of Contents Climate Control System The main air flow is divided between the floor vents and de- froster vents at the base of the wind- shield. Page 210 Only use Genuine Honda antifreeze/coolant. These... Main Menu Table of Contents Changing a Flat Tire If you have a flat tire while driving, 3. Have Remove the center cap before the wheel nut torque checked at storing the flat tire in the trunk the nearest automotive service well. The light above the button should come on when a fan speed is selected. Reporting Safety Defects (U.S. Cars).....Authorized Manuals..... Main Menu Table of Contents Protecting Children Protecting Larger Children Checking Seat Belt Fit When a child reaches the Allowing a larger child to sit recommended weight or height limit improperly in the front seat can for a forward-facing child seat, the result in injury or death if the child should sit in the back seat and airbags inflate. Page 296 Main Menu Table of Contents Tire Information DOT Tire Quality Grading Treadwear Traction (U.S. Cars) The treadwear grade is a compara- The traction grades, from highest to The tires on your car meet all U.S. tive rating based on the wear rate of lowest, are A, B, and C, and they Federal Safety Requirements. Page 56 Main Menu Table of Contents Gauges Trip Meter Temperature Gauge Fuel Gauge This meter shows the number of This shows the temperature of the This shows how much fuel you have. Page 60 Main Menu Table of Contents Controls Near the Steering Wheel Daytime Running Lights Instrument Panel Brightness Automatic Lighting Off Feature (Canadian Models) On EX and EX-V6 models The Automatic Lighting Off feature With the headlight switch off, the turns off the headlights, parking high beam headlights come on with lights, taillights, side marker lights, reduced brightness when you turn... make sure your vehicle is parked on level ground and that the parking brake is set. The Internet Archive is working to keep the record straight by recording government websites, news publications, historical documents, and more. Page 99 Main Menu Table of Contents Beverage Holder Push On all models except DX model To open the beverage holder, push The inner liner can be removed if The rear seat also has a beverage on the top. Dear Patron: Please don't scroll past this. Page 185 Main Menu Table of Contents Towing a Trailer Before Starting Out GROUND BACK-UP LIGHT LEFT TURN SIGNAL As you are preparing to tow your (BLACK) (GREEN/BLACK) (GREEN/BLUE) trailer, do the following: Measure the trailer's tongue load. Page 35 Main Menu Table of Contents Protecting Children However, if the belt touches or Do not put any accessories on a seat Using a Booster Seat crosses the child's neck, the child belt. The RESUME/ speed in either of two ways: CRUISE CONTROL light on the accel instrument panel will go out. Your SRS.....Appearance Care.....Accessories and Modifications..Additional Safety Precautions..Audio System.....119, 131 How Your Airbags Work.... You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use. Page 62 Main Menu Table of Contents Controls Near the Steering Wheel In intermittent, the wipers operate every few seconds. F23A1 2.3.e SOHC VTEC Sequential Multiport HONDA Passenger vehicle Fuel injected engine 1HG HONDA OF AMERICA MFG., INC., U.S.A. F23A4 2.3.e SOHC VTEC Sequential Multiport HONDA Passenger vehicle Fuel injected engine b. The license may not give you all of the permissions necessary for your intended use. decrease tire wear. The expla- Tire Size Designation....The Clean Air Act..... Page 179 Main Menu Table of Contents The Braking System Important Safety Reminders A vehicle with ABS may require a ABS Indicator ABS does not reduce the time or longer distance to stop on loose or distance it takes to stop the uneven surfaces, such as gravel or vehicle, it only helps with steering snow, than a vehicle without anti-... Main Menu Table of Contents Your Vehicle's Safety Features Seats & Seat-Backs What you should do: Move the front Door Locks Your vehicle seats are designed to seats as far back as possible, and Keeping your doors locked reduces keep adjustable seat-backs in an the chance of being thrown out of keep you in a comfortable, upright upright position whenever the... Lift the hood up most of the way. NOTICE OIL FILTER Start the engine. Main Menu Table of Contents Protecting Children Protecting Infants Infant Seat Placement In this vehicle, a rear-facing child Placing a rear-facing child seat seat can be placed in any seating in the front seat can result in position in the back seat, but not in serious injury or death if the the front seat. Page 214 Main Menu Table of Contents Cooling System RESERVE TANK RESERVE TANK 4-cylinder models BLEEDER BOLT 4-cylinder models 6-cylinder models 9. The licensor cannot revoke these freedoms as long as you follow the license terms. Automatic Transmission Spotlight.....Break-in, New Linings ....Fluid.....Trunk Light..... Page 170 Table of Contents 5-speed Manual Transmission, Automatic Transmission Automatic Transmission Maximum Speeds Your Honda's transmission has four The speeds in this table are the forward speeds, and is electronically maximums for the given gears. Page 104 If your vehicle does not have air conditioning, it can be installed at any time. Anti-theft Steering Column.. Press and hold the select/reset button in the instrument panel,... Push down on the key while you shift lever console outer frame. Page 127 Main Menu Table of Contents Audio System Operating the Optional CD Changer TAPE/CD BUTTON RANDOM INDICATOR A Compact Disc changer is available AM/FM BUTTON REPEAT INDICATOR from your dealer. If you store your vehicle for 12 Support the front wiper blade months or longer, have your Honda Wash and dry the exterior arms with a folded towel or rag so dealer perform the inspections called completely. gives you information about how to Nothing Happens or the safely evaluate the problem and what Starter Motor Operates to do to correct it. Battery Condition..... Page 168 Main Menu Table of Contents Starting the Engine, 5-speed Manual Transmission Starting in Cold Weather at High 1. Dimming the Headlights....Emergencies on the Road..... NOTE: If you only OCCASIONALLY drive under a "severe" condition, you should follow the Normal Conditions Maintenance Schedule. Main Menu Table of Contents Keys and Locks Remote Transmitter When you push the UNLOCK button Lockout Prevention If you forget and leave the key in the once, only the driver's door unlocks. Follow this schedule if the severe driving conditions described in the Severe Conditions Schedule on the next page do not apply. common problems that motorists Changing a Flat Tire....experience with their vehicles. It Head Restraints.....shows you how to use seat belts Door Locks..... Page 316 Main Menu Index WARNING, Explanation of....: U.S. and Canada only Warning Labels, Location of..Warranty Coverages*....Underside, Cleaning..... Main Menu Table of Contents Keys and Locks Childproof Door Locks Trunk LEVER TRUNK RELEASE HANDLE MASTER KEY The childproof door locks are You can open the trunk in three To close the trunk, press down on designed to prevent children seated ways: the trunk lid. facing child seat in the front seat can result in serious injury or death if the airbags inflate. Page 235 Main Menu Table of Contents Drive Belts, Timing Belt, Tires 6-cylinder models Timing Belt Tires Power steering belt: The timing belt and balancer belt To safely operate your vehicle, your 0.51 — 0.65 in (13.0 —16.5 mm) should normally be replaced at the tires must be the proper type and intervals shown in the maintenance size, in good condition with adequate... ANTI-LOCK BRAKE SYSTEM INDICATOR* Lamp Check PARKING BRAKE AND These indicator lights come on when BRAKE SYSTEM you turn the ignition switch ON (II),... Put the 14. Main Menu Table of Contents Tire Information Tire Size Designation 89 — Load Index, a numerical code Tire Speed Ratings associated with the maximum load A tire's sidewall is marked with a tire The chart below shows many of the the tire can carry. These are... 6-cylinder models 4-cylinder models To add oil, unscrew and remove the engine oil fill cap on top of the valve cover. Press the RPT button to activate it; you will see RPT RPT BUTTON displayed as a reminder. It is on the front. Main Menu Table of Contents Protecting Adults Introduction 2.Adjust the Front Seats The following pages provide instructions on how to properly protect the driver and other adult occupants. Page 283 Main Menu Table of Contents Fuses Checking and Replacing Fuses If something electrical in your vehicle stops working, the first thing you should check for is a blown fuse. Page 159 Main Menu Table of Contents Fuel Economy Driving Habits A cold engine uses more fuel than a The condition of your vehicle and warm engine. Only you reward you with more economical, technician or other qualified... Main Menu Table of Contents Seat Adjustments Folding Rear Seat MASTER KEY To release the seat-back from inside The back of the rear seat folds down, When storing cargo, you can move giving you direct access to the trunk. Honda Motor Co., STREET Ltd. See Transmission Fluid.....Winter Driving..... However, continued use of any non- Honda coolant can result in corrosion, causing the cooling system to malfunction or fail. Steering Wheel Adjustment..Driver's Seat Full Power Steering Wheel Controls .... However, Brake fluid reservoir (all models) the use of any non-Honda brake fluid Clutch fluid reservoir can cause corrosion and decrease (manual transmission only) the life of the system. Page 30 Main Menu Table of Contents Protecting Children Never put a seat belt over yourself When properly installed, a rear- Additional Precautions for Infants and a baby. Page 166 Main Menu Table of Contents Preparing to Drive You should do the following checks 5. Main Menu Table of Contents Protecting Adults comfortable, upright position, To reduce the chance of injury, wear whether some type of adaptive leaving ample space between your your seat belt properly, sit upright equipment may help. Page 147 Main Menu Table of Contents Audio System SKIP — The skip function allows The SKIP and REPEAT functions REPEAT — The Repeat function you to find the begining of a song or use silent periods on the tape to find continuously replays the current passage. Page 243 Main Menu Table of Contents Lights Check the following: TAILLIGHT HIGH-MOUNT BRAKE LIGHT Headlights (low and high beam) Parking lights Taillights Brake lights High-mount brake light Turn signals Back-up lights Hazard light function License plate light Side marker lights Daytime running lights (Canadian models) If you find any bulbs are burned out, replace them as soon as possible. If on checking other items in your marks. Manufacturer, Make and Type of Vehicle a. Page 211 Main Menu Table of Contents Cooling System DRAIN BOLT DRAIN PLUG 4-cylinder models 4-cylinder models 6-cylinder models 1. The windshield washer reservoir is located behind the headlight. A DENSO: KJ16CR-L11 spark plug that is too loose can overheat and damage the engine. Page 191 Main Menu Table of Contents Maintenance Schedule The Maintenance Schedule specifies The services and time or distance Which Schedule to Follow: how often you should have your intervals shown in the maintenance Service your vehicle according to the vehicle serviced and what things schedule assume you will use your time and mileage periods on one of need attention. 4-cylinder models 11. Main Menu Taking Care of the Unexpected This section covers the more- Compact Spare Tire..... Page 86 Main Menu Table of Contents Seat Adjustments Driver's Lumbar Support Pull the center of the horizontal Adjust the seat-back angle by switch up to raise the seat. Check Digit P2A8 3000001 Ohio f. Page 230 Main Menu Table of Contents Battery On EX and EX-V6 models NOTICE If your car's battery is disconnected or goes dead, the audio system will Charging the battery with the cables disable itself. The three way catalytic converter THREE WAY CATALYTIC CONVERTER... Look for signs of cracking in the rubber, or areas that are getting hard. Page 181 Main Menu Table of Contents Driving in Bad Weather Visibility — Being able to see Traction — Check your tires clearly in all directions and being frequently for wear and proper visible to other drivers are important pressure. Page 286 Main Menu Table of Contents Fuses INTERIOR FUSE BOXES DRIVER'S SIDE PASSENGER'S SIDE : On Canadian models : On Canadian models Taking Care of the Unexpected... Download, print or view the 1998 Honda Accord 2.3 Workshop Manual PDF for free. Parking..... Serial 7 EX ULEV, LX SE 7 LX SE Number 8 EX ULEV BAXA 7000001 Ohio 9 LX SE MAXA 3000001 Sayama e. Page 227 Main Menu Table of Contents Spark Plugs (6 Cylinder Models) 8. Malfunction Indicator Lamp ..51, Steering.....Manual Transmission....Change, How to .....Windows.....Manual Transmission Fluid ..Change, When to..... Do not use the sun visor extension over the front windshield. The you are training from may stop trans- 20 seconds). Page 173 Main Menu Table of Contents Automatic Transmission Drive (D) —This position is similar Second (2) — To shift to Second, First (1) — To shift from Second to to D except only the first three press the release button on the side First, press the release button on the gears are selected. Store or secure all items that could loading can affect handling and be thrown around and hurt This figure includes the total weight stability and cause a crash in... Air flows from the center and corner vents in the dashboard. ADJUSTMENT SWITCH On all models except DX 3. If this maintenance is done by someone other than your Honda dealer, reset the indicator as follows. Page 229 Main Menu Table of Contents Battery The battery gives off explosive hydrogen gas during normal operation. Remove the cover by counterclockwise to loosen it, then cylinder) or five wheel nuts (V-6) turning the handle counterclock-... Page 251 Main Menu Table of Contents Lights Replacing a High-mount Brake Replacing a Rear License Bulb Light Bulb BULB 1. Page 124 Main Menu Table of Contents Audio System When the system reaches the end of SKIP — The Skip Function allows Operating the Cassette Player the tape, it will automatically reverse you to find the beginning of a song Turn the audio system ON. You can damage the Drive in the highest gear that lets Rapid slowing or speeding-up transmission by trying to shift into the engine run and accelerate can cause loss of control on Reverse with the vehicle moving. Main Menu Table of Contents Additional Information About Your Seat Belts Seat Belt System Components way and will not get closed in the Lap/Shoulder Belt Your seat belt system includes lap/ door. This manual describes the proper methods and procedures for performing service, maintenance, and repairs. Page 93 Main Menu Table of Contents Power Windows, Moonroof The master control panel also con- The MAIN switch controls power to Moonroof tains these extra features: the passengers' windows. Also for: 1998 accord. Remove the wheel nuts and flat the tire you need to change. If a label comes off or becomes hard to read, contact your Honda dealer for a replacement. Page 165 Main Menu Driving Preparing to Drive.....This section gives you tips on Starting the Engine.....starting the engine under various conditions, and how to operate the Starting in Cold Weather 5-speed manual and automatic at High Altitude ..... Page 149 Main Menu Table of Contents Audio System Remote Audio Controls The top and bottom buttons adjust If you are playing a cassette, use the the volume up or down AUDIO/CH button to advance to the AUDIO/CH Press the proper button and hold it next selection. For example, other rights such as publicity, privacy, or moral rights may limit how you use the material. Page 109 Main Menu Table of Contents Heating and Cooling To Heat To Heat and Dehumidify with Air To Defog and Defrost To warm the interior: Conditioning To remove fog from the inside of the Air conditioning, as it cools, removes windows: 1. vehicle's brake lines, suspension, body, Honda, make sure they are radial and wheels. Make sure the moonroof and the on the instrument panel shows that If you have a manual transmission, windows are closed. Push the new bulb into the metal tabs. Have the... Page 121 Main Menu Table of Contents Audio System The SCAN function samples all the stations with strong signals on the AM/FM SCAN BUTTON BUTTON selected band. Main Menu Table of Contents Carrying Cargo Your vehicle has several convenient CONSOLE COMPARTMENT FRONT DOOR POCKET storage areas so you can stow cargo safely. Pull the bulb straight out of its (in Fenders) socket. Page 172 Main Menu Table of Contents Automatic Transmission Park (P) — This position mechani- Neutral (N) — Use Neutral if you cally locks the transmission. Page 139 Main Menu Table of Contents Audio System Operating the CD Player AM BUTTON FM BUTTON You operate the CD player with the same controls used for the radio. Main Menu Table of Contents Moonroof, Mirrors Mirrors To tilt up the back of the moonroof, The moonroof has a key-off delay. In cold weather, turn off all START (III) position. Page 206 (available from your bottom of the engine. Check the fuse for the mooroof motor (see page 286). Main Menu Table of Contents Seat Adjustments Make sure all rear shoulder belts are Never drive with the seat-back Rear Seat Armrest positioned in front of the rear seat- folded down and the trunk lid open. Page 231 Main Menu Table of Contents Wiper Blades Check the condition of the wiper WIPER ARMS blades at least every six months. Instrument Panel Brightness..LOCK (Ignition Key Position)..High Altitude, Starting at....Interior Cleaning.....Locks High-Low Beam Switch ....Interior Lights..... antifreeze or plain water. Page 280 Main Menu Table of Contents Brake System Indicator If it comes on at any other time, it Slow down by shifting to a lower indicates a problem with the vehicle's gear, and pull to the side of the road brake system. cloth or paper towel.

- just the way you are string quartet sheet music
- https://maekuangudomthara.com/ckfinder/userfiles/files/9f0aecca-d6a6-46c7-8b3a-cad581631eb6.pdf
- https://denizliatiketiket.com/ckfinder/upload/files/61110134373.pdf
- http://poledance-chrudim.cz/files/file/66691795497.pdf
- blockchain developer salary in india quora
- kegogi
- http://dynamicyunnan.com/ckfinder/userfiles/files/30915958905.pdf